

Admin:

Today: Clouds, 1 of 3 lectures

CLOUDS

Learning Objectives:

1. Be able to identify cloud types
2. Describe air motion and atmospheric stability that govern the appearance of basic cloud types.
3. Interpret weather data with respect to likely clouds, including Skew-T plots and wind soundings.

Minute paper, individual: What do you already know about cloud types? List, sketch, describe them.

Best clouds physics book, easy read:

Gavin Pretor-Pinney, *The Cloudspotter's Guide* (Perigee/Penguin, 2006).

Join the Cloud Appreciation Society

Next, (for free)

Thomas Carney et al., *AC 00-57 Hazardous Mountain Winds and Their Visual Indicators* (Federal Aviation Administration, 1997),
http://rgl.faa.gov/Regulatory_and_Guidance_Library/rgAdvisoryCircular.nsf/0/780437D88CBDAFD086256A94006FD5B8?OpenDocument.

Other cloud and atmospheric science books available for checkout; my office.


Office hours Monday 2-3, ECME 220

TONS of online info, most is OK.

Also, **CloudSpotter phone app**.

Following info partially adapted from Mike Baker, local NOAA Weather Service forecaster.







Pretor-Pinney, Gavin. *The Cloudspotter's Guide*. Perigee/Penguin, 2006.

Cloud types depend primarily on atmospheric stability. Need background to understand how.


Layers of the atmosphere:




<http://www.aerospaceweb.org/question/atmosphere/atmosphere/layers.gif>



lower $\text{O} + \text{O}_2 \rightarrow \text{O}_3$
All weather happens in troposphere.
Driven by what happens at 500 mb level.





<http://www.windows2universe.org/earth/Atmosphere/stratosphere.html>

O₃ absorbs sunlight, heats stratosphere

Warm over cold

Less dense over more dense = STABLE. Hold that thought.

Back to SCALES; how big....

How big is this?



Do you estimate in metric or in English units?


< Minute paper: In your head, 10 km = X miles, = Y thousand feet.

Be approximate, 1 sig fig.

<http://www.wolframalpha.com/input/?i=10+km+in+miles>

<http://www.wolframalpha.com/input/?i=1+mile+in+kilometers>

Order of magnitude estimates are VERY USEFUL.



colder, denser
shorter atm.

Sea level air pressure = uniform worldwide,
except +/- 2% due to weather (high, low
pressure systems)

Height of atm goes with seasons too; higher in summer with hot air.

Temperature change with altitude in troposphere:

Minute paper in groups: *Why is it colder on top of a mountain than at the foot?*

Start with pressure profile in atmospheric column: highest at surface, decreases going up.

Comes from hydrostatics; gravity balanced by pressure.



Consider a parcel of air (imaginary little cube).

Same temperature as its neighbors.

Reduce its pressure (surface forces), while allowing no heat transfer.


It expands = **adiabatic** expansion

In expanding, it *does work* on its neighbors

Loses internal energy; cools.

= Conservation of Energy, 1st Law of Thermo.

NOT the Ideal Gas Law




Piston/cylinder

Rising parcels expand, *do work* and therefore cool.

Vice versa is true too; descending parcels get compressed (work is done on them) and warm

→ Pressure profile in the atmosphere

Vice versa is true too; descending parcels get compressed (work is done on them) and warm up.
Pressure profile in the atmosphere
http://www.engineeringtoolbox.com/air-altitude-pressure-d_462.html




Actual temperature profile in the TROPOSPHERE
Comes from *sounding data*; weather balloons

Modern radiosondes measure or calculate the following variables:

- [Pressure](#)
- [Altitude](#)
- [Geographical position \(Latitude/Longitude\)](#)
- [Temperature](#)
- [Relative humidity](#)
- [Wind](#) (both [wind speed](#) and [wind direction](#))
- [Cosmic ray](#) readings at high altitude

Pasted from <<http://en.wikipedia.org/wiki/Radiosonde>>

Here's what it looks like: SKEW-T
<http://weather.uwyo.edu/upperair/sounding.html>
YOU will do this for the date of your image




NO VERTICAL GRID?


So many lines! How many kinds?

- | | |
|-------------------|---|
| Horizontal blue | Constant pressure |
| Angled blue | Constant temperature; isotherm. Angle ↗ SKEW T |
| Angle/curve green | Dry adiabat. A dry parcel will follow this temperature line if cooled adiabatically |
| Angle/curve blue | Moist, saturated adiabatic lapse rate |
| Purple | Lines of constant mixing ratio; absolute humidity for saturation. |
| Heavy black | Right line is temperature profile. Left line is dew point |
| Light black | Adiabat starting at the top of the boundary layer |

Basics: <http://www.theweatherprediction.com/thermo/skewt/>

Skew T Mastery: <https://www.meted.ucar.edu/loginForm.php?urlPath=mesoprim/skewt#>





TP:166
MW:14.3
FRZ:654
WB:751
PW:0.31
RH:24.0
MAXT:21.2
TH:5633
L5:5.8
LCL:800
LR:8.3
SL:8.3
TT:36
K:4
SW:82
EH:12
-PARCEL-
CAPE:0
CINH:65626
LCL:800
CAP:17.5
-WIND-
STM:276/27
HEL:103
SHR:+0.0
SRDS:86
EHI:0.0
BRN:0.0
BSHR:58